



HMV Series

Water Supply & Pressure Pumps VSD Vertical Multistage Pumps


















Overview


The HMV Series are variable speed drive Stainless steel multistage vertical pumps. Designed for pumping clean nonloaded fluids for pressurising systems: irrigation, drinking and glycol water, water treatment, heating and air conditioning, and washing systems.

The HMV Series are at the pinnacle of quality and innovation. Driven by the E1 - E318 Variable Speed Drives, they are efficient to run and all manufactured in Italy.

Features

- Pump Body: Stainless Steel AISI304
- · Impeller: Stainless Steel AISI304
- · Mechanical Seal:
- Ceramic / Graphite < 6
- Impellers Graphite / Silicone Carbide < 7 Impellers
- Liquid Temprature: -15 to 110c
- · Max Operating Pressure:
- 8.5 bar < 6 impellers
- 14 bar < 7 impellers
- Motor: 2 Pole Induction with Thermal Protection
- · Insulation: Class F
- · Protection: IP44

Identification Codes











Commercial Plumbing & Fire Supplies

Site Address

6A Kelly Court, Springvale, VIC 3171 **Postal Address**

6A Kelly Court, Springvale, VIC 3171 **Contact Details**





HMV3


























Dimensions

Model				Dimensio	ons (mm)				DNA	DNM	V-
Model	A	С	D1	D2	E1	E2	G	н	DNA	DNM	Kg
HMV3-7-E1	98	537	220	150	180	100	228	50	32mm	32mm	23.0
HMV3-9-E1	98	585	220	150	180	100	228	50	11/4"	11/4"	25.0

Performance



Technical Data

Туре			Amps			G	(m³/h - I/mii	n)		
			1~	0	0.6	1.2	1.8	2.4	3.6	4.8
	,	P2	1~	0	10	20	30	40	60	80
12	1~		1x230V		-		H (m)			
	(HP)	(kW)	50 Hz				H (III)			
HMV3-7-E1	1.5	1.1	6.4	80.1	77.7	74.2	69.1	63.3	48.8	30
HMV3-9-E1	2	1.5	7.7	103	99.9	95.4	88.8	81.4	62.7	38.6

Commercial Plumbing & Fire Supplies

Site Address

6A Kelly Court, Springvale, VIC 3171 **Postal Address**

6A Kelly Court, Springvale, VIC 3171 **Contact Details**





HMV5



HMV Series

Water Supply & Pressure Pumps VSD Vertical Multistage Pumps






















Dimensions

Model				Dir	mensions (m	ım)				DNA	DNM
Model	A	A1	С	D1	D2	E1	E2	G	н	DIVA	DINIM
HMV5-7-E1	98	90	537	220	150	180	100	228	50	32mm	32mm
HMV5-10-E114	98	90	664	220	150	180	100	236	50	32mm	32mm

Performance



Technical Data

							Q (L	/min)			
Туре	F	2	Amps	0	1.8	2.4	3.6	4.8	6.0	7.2	8.4
				0	30	40	60	80	100	120	140
	(HP)	(kW)	1x230V				н	(m)			
HMV5-7-E1	2	1.5	8.7	81	75.5	73	67.4	60.3	51	38.6	21
HMV5-10-E114	3	2.2	11.9	114.2	106.4	102.9	95.2	85.2	72.0	53.3	30

Commercial Plumbing & Fire Supplies

Site Address

6A Kelly Court, Springvale, VIC 3171 **Postal Address**

6A Kelly Court, Springvale, VIC 3171 **Contact Details**





HMV9



HMV Series

Water Supply & Pressure Pumps VSD Vertical Multistage Pumps



























Dimensions

				Dir	mensions (m	m)					
Model	A	A1	С	D1	D2	E1	E2	G	н	DNA	DNM
HMV9-6-E114	118	90	821	260	180	215	130	256	80	40mm	40mm
HMV9-7-E309	118	90	856	260	180	215	130	261	80	40mm	40mm
HMV9-10-E311	118	90	976	260	180	215	130	271	80	40mm	40mm

Performance



Technical Data

										Q (L	/min)					
Туре	·	2	Am	nps	0	60	80	100	120	140	160	180	200	220	240	260
	(HP)	(kW)	230V	415V						н	(m)					
HMV9-6-E114	3	2.2	12.5		71.8	64.9	63	59.9	57	53.7	49.7	44.3	37	29.5	20.8	11.1
HMV9-7-E309	4	3		5.8	83.3	76.7	74.9	71.8	68.3	64.6	59.9	53.5	44.8	35.9	25.7	14.3
HMV9-10-E311	5.5	4		8.3	122	112.8	110.5	106.5	102.2	97.3	91.6	82.8	70.7	57.1	42.3	26.

Commercial Plumbing & Fire Supplies

Site Address

6A Kelly Court, Springvale, VIC 3171 **Postal Address**

6A Kelly Court, Springvale, VIC 3171 **Contact Details**







HMV Series

Water Supply & Pressure Pumps VSD Vertical Multistage Pumps

























HMV18





Dimensions

Model				Dimensi	ons (mm)				DNA	DNM
Model	А	С	D1	D2	E1	E2	G	н	DNA	DNM
HMV18-4-E114	118	603	260	180	215	130	257	90	50mm	50mm
HMV18-6-E311	118	718	260	180	215	130	251	90	50mm	50mm
HMV18-9-E318	118	893	260	180	215	130	280	90	50mm	50mm

Technical Data

								Q (L)	min)				
Туре	F	2	Amps	O	6	7.2	9.6	12.0	14.4	16.6	19.2	21.6	24.0
				0	100	120	160	200	240	280	320	360	400
	(HP)	(kW)						н	(m)				
HMV18-4-E114	4	3	5	46.3	44.2	43.4	41.4	39.1	36.7	34.1	30.8	25.6	19.0
HMV18-6-E311	5.5	4	4.7	70.1	66.4	66.3	63.4	60.0	60.5	52.4	47.6	39.6	29.9
HMV18-9-E318	10	7.5	12.9	106.4	102.8	101.3	97.2	92.4	87.3	81.6	75.0	63.5	48.5

Commercial Plumbing & Fire Supplies

Site Address

6A Kelly Court, Springvale, VIC 3171 **Postal Address**

6A Kelly Court, Springvale, VIC 3171 **Contact Details**







1P-HMV Series

Water Supply & Pressure Pumps Variable Speed Vertical Multistage Booster Sets


















VSD Controller and Connection

1 x VSD directly mounted on board of the pumps with preset parameters in accordance to the connected pump; available solution with E1 VSD (for pumps up to 2kW with single phase input voltage) or with E109 - E385 VSD (single phase input voltage up to 3 kW and with three phase input voltage up to 45 kW.

(See VSD Controllers on pages 121-123)

Identification Codes





Construction and Features


- 1 x HMV Series vertical multistage electric pump.
- · Stainless steel delivery manifold, fitted with single check valve and outlet connections for pressure sensors and
- · Unit base and support for control panel in galvanised steel.
- · Check valve installed on delivery side of pump.
- · Ball valves fitted to suction side and pressure tank outlet.
- · Pressure gauge with radial connection.
- •1 x E Series VSD with set parameters in accordance to the connected pump.
- · Pressure sensor connected on the outlet manifold and electrically connected to VSD.
- On request: Pressure tanks 8 litre 100 litre

1P-HMV3 Technical Data

Type		Amps			G	(m³/h - I/mi	n)			
			1~	0	0.6	1.2	1.8	2.4	3.6	4.8
1~ P2 (HP) (kW)	1~	0	10	20	30	40	60	80		
	(110)	(134)	1x230V 50 Hz				H (m)			
2010 HE HERON TO VILLE	()	100000000	1,000				20001200			
1P-HMV3-7-E1	1.5	1.1	7.1	75.5	71.3	66.6	61.2	54.8	41.1	24.9
1P-HMV3-9-E1	2	1.5	8.4	95.8	92.2	86.3	78.9	70.7	52.7	30.8

Dimensions

			Di	mensio	ns (m	m)				
Model	A	A1	В	С	D	E	F	н	DNA	DNM
1P-HMV3-7-E1	135	90	400	521	50	418	620	100	32mm	32mm
1P-HMV3-9-E1	208	90	400	833	50	418	620	100	32mm	32mm
1P-HMV5-7-E1	208	90	400	785	50	418	620	100	32mm	32mm
1P-HMV5-10-E114	208	90	400	902	50	418	620	100	32mm	32mm
1P-HMV9-6-E114	228	90	400	871	50	438	640	130	40mm	40mm
1P-HMV9-7-E309	228	90	400	871	50	438	640	130	40mm	40mm
1P-HMV9-10-E311	228	90	400	1026	50	438	640	130	40mm	40mm
1P-HMV18-4-E114	228	90	400	853	50	438	640	140	50mm	50mm
1P-HMV18-6-E311	228	90	400	961	50	438	640	140	50mm	50mm
1P-HMV18-9-E318	228	90	400	1120	50	438	640	140	50mm	50mm



1P-HMV5 Technical Data

							Q (L)	min)			
Туре	F	2	Amps	0	1.8	2.4	3.6	4.8	6.0	7.2	8.4
				0	30	40	60	80	100	120	140
	(HP)	(kW)	1x230V				н	m)			
1P-HMV5-7-E1	2	1.5	9	80.3	73.6	71.0	64.5	56.1	46.0	33.4	12.5
1P-HMV5-10-E114	3	2.2	12.8	112.7	103.9	99.9	89.8	78.2	64.0	46.4	21.0

1P-HMV9 Technical Data

									Q (L/min)				
Туре	F	2	An	nps	0	3.6	4.8	7.2	9.6	12.0	13.2	14.4	15.6
					0	60	80	120	160	200	220	240	260
	(HP)	(kW)	230V	415V					H (m)				
1P-HMV9-6-E114	3	2.2	12.2		69.4	63.7	61.4	55.6	46.5	33.5	25.4	17.0	9.0
1P-HMV9-7-E309	4	3		5.8	83.3	77.8	75.7	68.9	58.5	43.6	34.7	(=)	-
1P-HMV9-10-E311	5.5	4		8.1	119.5	111.6	108.2	99.3	84.6	63.5	51.2		

1P-HMV18 Technical Data

Туре				Q (L/min)									
	P2		Amps	0	6.0	7.2 120	9.6 160	12.0	14.4 240	16.8 280	19.2 320	21.6 360	24.0 400
1P-HMV18-4-E114	4	3	5.8	47.1	45.4	45.2	44.3	42.6	40.0	36.0	30.6	24.6	17.8
1P-HMV18-6-E311	5.5	4	8.4	71.4	69.7	69.6	68.2	65.7	62.2	56.3	48.0	39.4	29.4
1P-HMV18-9-E318	10	7.5	8	108.5	106.9	107.0	105.3	101.7	96.8	88.6	75.9	62.6	47.8

Commercial Plumbing & Fire Supplies

Site Address


6A Kelly Court, Springvale, VIC 3171 **Postal Address**


6A Kelly Court, Springvale, VIC 3171 **Contact Details**







Performance





Performance





Commercial Plumbing & Fire Supplies

Site Address 6A Kelly Court, Springvale, VIC 3171 **Postal Address** 6A Kelly Court, Springvale, VIC 3171 **Contact Details** P: 03 9791 7500 E: sale@cpfs.net.au

